



The G Sub 1001 is a compact, high powered 10" subwoofer with a particularly low-profile form. The modern design and high power-handling capabilities make the G Sub 1001 particularly interesting for applications requiring precise bass reproduction and very unobtrusive installation.

## PRODUCT SPECIFICATIONS


<b>Speaker Components</b>	10"
<b>Description</b>	Passive Bass Extension
<b>Power</b> AES / Peak	350 W / 1100 W
<b>Impedance</b> nominal	8 Ω
<b>SPL</b> 1 W / Peak @ 1 m	97 dB / 128 dB
<b>Usable Range</b> -6 dB	44 Hz - 300 Hz
<b>Tuning Frequency</b> excursion minimum	53 Hz
<b>Connectors</b>	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- loop thru, 2 +/- Sub Incl. switch for active / passive operation
<b>Handles</b>	1 x
<b>Rigging / Fittings</b>	M20 on top
<b>Weight</b>	17,0 kg
<b>Size</b> height x width x depth	28,0 x 43,0 x 43,0 cm
<b>Order No.</b>	<b>00605</b>




M20 flange on top.



Comfortable handles for easy transport.



## DIMENSIONS




### Controller Setups:


<http://www.seeburg.net/en/downloads>

## MEASUREMENTS

### Frequency Response with Presets



### Sensitivity 1 W @ 1 m + Impedance



## ACCESSORIES G Sub 1001

### Speaker Pole

M20, with wind up, K&M

Order No. **03023**



M20, adjustable, K&M

Order No. **03022**



### Ceiling Mount

for Subwoofer, 2 parts,  
incl. screws

Order No. **08129**

Order No. **08129/w** (RAL 9010)



### Cover

for G Sub 1001, padded

Order No. **01226**



Ceiling Mount.